
LET US SPIN WITH SABAR SPIN

SABAR

- > SPINNING CANS
- > CASTOR WHEELS
- **> TROLLEY**





4 DECADES OF EXPERIENCE...

Sabar Spinmatic Equipments, India the market leader of Spinning Roll Shop Machinery since 1969 now highly delighted to offer impeccable quality Spinning Cans, its accessories & Trolleys.



<u>SABAR</u>

> SPINNING CANS

SabarSpin Sliver cans are made from Virgin quality high density polyethylene sheets. Seamless card cans collects sliver from Carding, Drawing, Roving and Open-end spinning. The Cans are available in size range of 400 mm to 1000 mm diameter and 800 mm to 1500 mm height.

Available Colour for Can:





SABAR

> ROPE DYEING CAN

These cans are specially developed for Denim manufacturers who use Rope Dyeing Plants.

Dimensions: 1500 mm diameter and 1750 mm height





CYLINDRICAL BODY:

Made from Virgin quality High Density polyethylene sheets ensures smooth finish & cylindrical integrity which prevents sliver damage by rubbing.

SPRINGS:

- Made from high carbon spring steel wire of grade II.
- > Pre tension springs are tested and filled with anti-slip surface ABS/PP/GI top plate and joined by PVC coated steel wire rope with steel base.
- > Plastic moulded brackets are provided on top plate for height adjustment.
- > For Cans of diameter 600 mm and above, stabilised pantograph springs are recommended which carries higher load of springs.

BOTTOM PLATES & RING:

- > Bottom plate and ring give support to the cans and hold the balance.
- > Bottom plates having castor fitting arrangements are supplied.
- > Bottom rings are made from angles and are welded with rod rings.

TOP RING:

> The bands are swaged with top ring making the top robust and to hold cans firmly to the right shape.

TOP PLATE & SPRING PLATE:

- Top plate & spring plate are made from unbreakable polymers and galvanised electro steel with anti slip surface.
- Top plate has a friction surface to anchor the initial coils of sliver preventing throw-out.

SABAR> CASTOR WHEELS

Sabar Spinmatic Equipments offers wide range of castors starting from 2" to 10" and with a load capacity ranging from 30 kg to 300 kg.

Material: Castor body made from CRCA material and stainless steel.

Plating: Zinc plating in different shades like silver, blue, golden yellow, Olive green. Powder coating in black colour.













in mm

	0		+ + +	+ +	+ +	7	<u>v</u>	5/4
60	60	25	83 x 68	64 x 52	7	58	85	60
65	65	30	70 x 65	50 x 50	7	66	87	65
80	80	30	91 x 77	72 x 51	7	80	103	80
120	120	34	125 x 100	98 x 76	11 x 14	117	162	120



Model No. SabarSpin 101

Application:

Transportation for bobbins, Doffing and roving bobbins at Simplex.

Model No. SabarSpin 102

Application:

Transport all types of bobbins and also for Steaming, Humidifying and controlling of bobbin.



Model No. SabarSpin 103

Application:

Arbour Transportation Trolley. Purpose for transport of grind and ungrind arbour.





Global Representation By:



Beyond The Conventional

11, Rupak Society, St. Xavier's School (Loyalla Hall) Road,

Nr. Devkinandan Jain Temple, Post Navjivan, Ahmedabad 380014, Gujarat, INDIA.

🗓 +91-99133 63389, +91 98250 26598 🕑+91-79-27683024



- > Spinning Roll Shop Machinery
- > Spinning Cans, its accessories and trolleys
- > Hydraulic Cotton Baling Press machine

Let us Spin with

SABAR SPIN!!!